

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/081,040	02/20/2002	Richard G. Dalgetty	XENOP008/PXE-037.US	8481
22434	7590 10/16/2006	•	EXAM	INER
BEYER WEAVER & THOMAS, LLP			DIXON, ANNET	TE FREDRICKA
P.O. BOX 70250 OAKLAND, CA 94612-0250			ART UNIT	PAPER NUMBER
0,1112,111,2,			3771	

DATE MAILED: 10/16/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
Office Action Summary	10/081,040	DALGETTY ET AL.					
• • • • • • • • • • • • • • • • • • •	Examiner	Art Unit					
The MAILING DATE of this communication a	Annette F. Dixon	3771 with the correspondence address					
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perio - Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN. .136(a). In no event, however, may d will apply and will expire SIX (6) Mo tte, cause the application to become	IICATION. a reply be timely filed DNTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 20	1) Responsive to communication(s) filed on <u>20 February 2002</u> .						
·—	This action is FINAL . 2b)⊠ This action is non-final.						
•	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under	Ex parte Quayle, 1935 C	D. 11, 453 O.G. 213.					
Disposition of Claims							
4) ☑ Claim(s) 1-38 is/are pending in the application 4a) Of the above claim(s) is/are withdr 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☑ Claim(s) 1-38 are subject to restriction and/o	awn from consideration.						
Application Papers							
9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) according a constant may not request that any objection to the Replacement drawing sheet(s) including the correction of the correctio	cepted or b) objected to e drawing(s) be held in abey ction is required if the drawir	ance. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).					
Priority under 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No	v Summary (PTO-413) p(s)/Mail Date f Informal Patent Application					

Application/Control Number: 10/081,040 Page 2

Art Unit: 3771

DETAILED ACTION

Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - Claims 1-13 and 23-30, drawn to a Gas Delivery System, classified in class 128, subclass 203.12.
 - II. Claims 14-22 and 38, drawn to an Imaging System with Gas Delivery System, classified in class 600, subclass 407.
 - III. Claims 31-37, drawn to an Induction Chamber with Gas Delivery System, classified in class 600, subclass 21.

The inventions are distinct, each from the other because of the following reasons:

- 2. Inventions Group I and II are related as combination and subcombination.

 Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination, Group II, as claimed does not require the particulars of the subcombination, Group I, as claimed because the combination does not require the use of an imaging box having a camera mounted to the interior cavity. The subcombination has separate utility such as being coupled to a patient via a mask, mouthpiece, or endotracheal tube to delivery gas to a patient with out requiring the monitoring of the patient via the image-capturing device.
- 3. Inventions Group I and Group III are related as combination and subcombination.

 Inventions in this relationship are distinct if it can be shown that (1) the combination as

Application/Control Number: 10/081,040

Art Unit: 3771

claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination, Group III, as claimed does not require the particulars of the subcombination, Group I, as claimed because the combination only requires a gas inlet while the sub combination requires a pressure regulator system having multiple delivery conduits. The subcombination has separate utility such as being coupled to a patient(s) via a mask, mouthpiece, or endotracheal tube to delivery gas to the patient(s) with out requiring the use of an induction chamber to contain the gas delivery to the patient.

Page 3

- 4. Inventions Group II and III are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination, Group II, as claimed does not require the particulars of the subcombination, Group III, as claimed because the particulars of the induction chamber having a set of walls has not been recited. The subcombination has separate utility such as the ability of the device to be coupled to a patient via a mask, mouthpiece, or endotracheal tube wherein the induction chamber could be a hood.
- 5. The examiner has required restriction between combination and subcombination inventions. Where applicant elects a subcombination, and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all

Application/Control Number: 10/081,040

Art Unit: 3771

the limitations of the allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104. See MPEP § 821.04(a). Applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

- 6. Because these inventions are independent or distinct for the reasons given above and there would be a serious burden on the examiner if restriction is not required because the inventions require a different field of search (see MPEP § 808.02), restriction for examination purposes as indicated is proper.
- 7. <u>Should Applicant elect the inventions of Group I, Applicant is subject to a species requirement.</u>
- 8. This application contains claims directed to the following patentably distinct species:

Please Pick One

Claims 1-13: Gas delivery		Claims 23-30: Gas delivery	
for one or more specimens	OR	system for multiple	
requiring a gas delivery		specimens.	
chamber.			

Application/Control Number: 10/081,040 Page 5

Art Unit: 3771

9. Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, there are no generic claims.

- 10. Should Applicant elect the inventions of Group II, Applicant is subject to a species requirement.
- 11. This application contains claims directed to the following patentably distinct species:

Please Pick One

- 12. Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, there are no generic claims.
- 13. Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim

Art Unit: 3771

is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

- 14. Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species.

 MPEP § 809.02(a).
- 15. Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.
- 16. The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.
- 17. Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103 (a) of the other invention.

Application/Control Number: 10/081,040 Page 7

Art Unit: 3771

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Annette F. Dixon whose telephone number is (571) 272-3392. The examiner can normally be reached on Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on (571)272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

October 6, 2006

JUSTINE R. YU SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700

10/9/06